

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 1/19/2016 Revision date: 1/2/2023 Supersedes version of: 2/1/2022 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: Anilox Cleaner Gel Product name

: 1712500 Product code Type of product : Mixture

Product group : Cleaning product.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use

1.3. Details of the supplier of the safety data sheet

Kurt Zecher GmbH Görlitzer Str. 2 DE D-33098 Paderborn Deutschland

T +49 (0) 52 51 / 17 46 - 0, F +49 (0) 52 51 / 17 46 - 20

contact@zecher.com, www.zecher.com

1.4. Emergency telephone number

Emergency number : Poison centre

Country/Area	Organisation/Company	Address	Emergency number	Comment
Germany	Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen Klinische Toxikologie, Universitätsmedizin der Johannes Gutenberg-Universität Mainz	Langenbeckstraße 1 Gebäude 601 55131 Mainz	+49 (0) 6131 19240	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290 Acute toxicity (oral), Category 4 H302 Skin corrosion/irritation, Category 1, Sub-Category 1A H314 Specific target organ toxicity - Single exposure, Category 3, H335

Respiratory tract irritation

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

GHS07

Signal word (CLP) : Danger

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains : Potassium hydroxide; Ethanolamine; 2-phenoxyethanol

Hazard statements (CLP) : H290 - May be corrosive to metals.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

Precautionary statements (CLP) : P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor/physician.

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 REACH-no: 01-2119487136- 33	> 30	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318
Ethanolamine substance with a Community workplace exposure limit	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	15 – 30	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
2-phenoxyethanol	CAS-No.: 122-99-6 EC-No.: 204-589-7 EC Index-No.: 603-098-00-9 REACH-no: 01-2119488943- 21	5 – 15	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 REACH-no: 01-2119487136- 33	$(0.5 \le C < 2)$ Eye Irrit. 2; H319 $(0.5 \le C < 2)$ Skin Irrit. 2; H315 $(2 \le C < 5)$ Skin Corr. 1B; H314 $(5 \le C \le 100)$ Skin Corr. 1A; H314

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Ethanolamine	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	(5 ≤ C ≤ 100) STOT SE 3; H335

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Transport to hospital

immediately.

First-aid measures after skin contact : Take off contaminated clothing. Rinse skin with water/shower. Transport to hospital

immediately.

First-aid measures after eye contact : First prolonged rinsing with water (contact lenses to be removerd if this is easily done), then

take to a doctor.

First-aid measures after ingestion : Rinse mouth out with water. Do NOT induce vomiting. Transport to hospital immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Unconsciousness. Dizziness. Headache. Nausea. Drowsiness.

Symptoms/effects after skin contact : Pungent. Severe burns. Pain. Redness. Symptoms/effects after eye contact : Pungent. Pain. Redness. Blurred vision.

Symptoms/effects after ingestion : Caustic, lack of breath, vomiting, blisters on lips and tongue, burning pain in mouth and

throat, gullet and stomach.

4.3. Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : water spray. Powder. Foam. CO2.

Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

Fire hazard : None known. Explosion hazard : None known.

5.3. Advice for firefighters

Precautionary measures fire : No special precautions required.

Firefighting instructions : No specific firefighting instructions required. Protection during firefighting : No specific measures are necessary.

Other information : None.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not touch spilled material. Remove contaminated clothing and shoes. Do not breathe

vapour. Do not breathe spray.

No additional information available

1/2/2023 (Revision date) BE - en 3/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb the product onto porous material.

6.4. Reference to other sections

See Headings 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Handle carefully. Avoid spillage.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed and in well ventilated place. Keep out of frost.

Packaging materials : Suitable packing materials: Plastic.

Germany

Storage class (LGK, TRGS 510) : LGK 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

Cleaning product.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

The level of protection and types of measures depend on workplace conditions. Adequate ventilation must be provided so that exposure limits are not exceeded. For more information, see section 7.

Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):







Eye and face protection

Eve protection:

Safety glasses. Face-shield

Skin protection

Skin and body protection:

Impermeable clothing

Hand protection:

Nitrile rubber gloves. Breakthrough time: > 480 Min, (EN 374). Layer thickness: 0,35 mm. Always wash hands after handling the product

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection

Respiratory protection:

Ensure adequate air ventilation. In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Mask	ABEK		

Environmental exposure controls

Environmental exposure controls:

Comply with relevant environmental regulations limiting discharges to air, water and soil. Protect the environment by applying proper control measures to prevent or reduce releases. For more information, see sections 6 and 13.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Colourless. Odour : Characteristic. Odour threshold : Not available Melting point : 0 °C Freezing point : Not available Boiling point : 100 - 288 °C Flammability : Not applicable. Explosive properties : Not applicable. : Not applicable. Oxidising properties Lower explosive limit (LEL) : Not available : Not available Upper explosive limit (UEL) Flash point : /.

Flash point : /.
Auto-ignition temperature : 371 °C

Decomposition temperature : No data available. pH : 14.9 @ 20 °C

pH solution : /.

Solubility : Completely soluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available : 2332 Pa @ 20 °C Vapour pressure Vapour pressure at 50°C : Not available Density : 1.321 kg/l @ 20 °C Relative density : Not available Relative vapour density at 20°C : Not applicable. Relative gas density : Not applicable. Particle characteristics : Not applicable

9.2. Other information

Other safety characteristics

Relative evaporation rate (butylacetate=1) : 0.3 VOC content : 17 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.2. Chemical stability

Extremely high or low temperatures.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

10.5. Incompatible materials

LD50 dermal rabbit

Skin corrosion/irritation

Acids. Bases. Oxidation agents. Reducing agents.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified (No data available)
Acute toxicity (inhalation) : Not classified (No data available)

reactions (initialians)	rot sidosmod (rio data divando)
Anilox Cleaner Gel	
ATE CLP (oral)	864.649 mg/kg bodyweight
ATE CLP (dermal)	> 2000 mg/kg
Potassium hydroxide (1310-58-3)	
LD50 oral rat	356 mg/kg
LD50 dermal rabbit	≥ 5000 mg/kg
LC50 Inhalation - Rat	≥ 50 mg/l/4h
Ethanolamine (141-43-5)	
LD50 oral rat	1089 mg/kg
LD50 dermal rabbit	2504 mg/kg
LC50 Inhalation - Rat	11 mg/l/4h
2-phenoxyethanol (122-99-6)	
LD50 oral rat	500 mg/kg

LC50 Inhalation - Rat ≥ 50 mg/l/4h

: Causes severe skin burns. pH: 14.9 @ 20 °C

≥ 5000 mg/kg

Potassium hydroxide (1310-58-3)	
рН	> 14 @ 20 °C.

Serious eye damage/irritation : Assumed to cause serious eye damage pH: 14.9 @ 20 °C

Potassium hydroxide (1310-58-3)	
рН	> 14 @ 20 °C.
Pospiratory or skip consitisation :	Not classified

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified

1/2/2023 (Revision date) BE - en 6/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Carcinogenicity : Not classified Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Anilox Cleaner Gel

Viscosity, kinematic 8 mm²/s @ 20 °C

Potassium hydroxide (1310-58-3)

Viscosity, kinematic 1 mm²/s @ 20 °C.

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No data available. Hazardous to the aquatic environment, short–term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : I

(chronic)

: Not classified

Ethanolamine (141-43-5)	
LC50 - Fish [1]	349 mg/l (Cyprinus carpio, 4d)
EC50 - Crustacea [1]	65 mg/l (Daphnia)
EC50 72h - Algae [1]	2.1 – 2.8 mg/l
NOEC chronic fish	1.24 mg/l (Oryzias latipes, 41d)
NOEC chronic crustacea	0.85 mg/l (21d)
NOEC chronic algae	1 mg/l (72h)
2-phenoxyethanol (122-99-6)	
LC50 - Fish [1]	> 100 mg/l
EC50 72h - Algae [1]	> 500 mg/l
NOEC chronic fish	23 mg/l 34 d, Pimephales promelas

12.2. Persistence and degradability

Anilox Cleaner Gel	
Persistence and degradability	No data available.
Potassium hydroxide (1310-58-3)	
Persistence and degradability	Not rapidly degradable
Ethanolamine (141-43-5)	
Persistence and degradability	Rapidly degradable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-phenoxyethanol (122-99-6)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Anilox Cleaner Gel		
Bioaccumulative potential	No data available.	
Potassium hydroxide (1310-58-3)		
Bioaccumulative potential	No data available.	
Ethanolamine (141-43-5)		
Partition coefficient n-octanol/water (Log Pow)	-2.3 – -1.31	
2-phenoxyethanol (122-99-6)		
Partition coefficient n-octanol/water (Log Pow)	1.16 BCF : 0,35	

12.4. Mobility in soil

Anilox Cleaner Gel		
Ecology - soil	WGK 1. Completely soluble in water.	
Potassium hydroxide (1310-58-3)		
Ecology - soil	WGK 2. Completely soluble in water.	

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Dispose of in accordance with relevant local regulations.

Waste treatment methods : Do not flush into surface water or sewer system.

Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

SECTION 14: Transport information

In accordance with ADR

14.1. UN number or ID number

UN-No. (ADR) : UN 1719

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Caustic alkali liquid, n.o.s.

Transport document description (ADR) : UN 1719 Caustic alkali liquid, n.o.s. (Mixture with potassium hydroxide), 8, II, (E)

1/2/2023 (Revision date) BE - en 8/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8

14.4. Packing group

Packing group (ADR) : II

14.5. Environmental hazards

Dangerous for the environment : No

Other information : No supplementary information available

14.6. Special precautions for user

Special transport precautions : Risk of burns, Do not allow to enter drains or water courses

Overland transport

Hazard identification number (Kemler No.) : 80

Orange plates :

80 1719

Tunnel restriction code (ADR) : E

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content : 17 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No data available

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
2.2		
7.2		
8.2		
11		
16		

Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H412	Harmful to aquatic life with long lasting effects.	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	

1/2/2023 (Revision date) BE - en 10/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.