

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/14/2014 Revision date: 1/2/2023 Supersedes version of: 1/6/2022 Version: 1.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: Anilox Cleaner In Line Product name

Product code 1285100 Product group : Cleaning product.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Cleansing agent

1.3. Details of the supplier of the safety data sheet

Kurt Zecher GmbH Görlitzer Str. 2 DE D-33098 Paderborn Deutschland

T +49 (0) 52 51 / 17 46 - 0, F +49 (0) 52 51 / 17 46 - 20

contact@zecher.com, www.zecher.com

1.4. Emergency telephone number

Emergency number : Poison centre

Country/Area	Organisation/Company	Address	Emergency number	Comment
Germany	Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen Klinische Toxikologie, Universitätsmedizin der Johannes Gutenberg-Universität Mainz	Langenbeckstraße 1 Gebäude 601 55131 Mainz	+49 (0) 6131 19240	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 1 H318 Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Contains : Ethanolamine; Fatty alcohol, C12-14, ethoxylated

Hazard statements (CLP) H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary statements (CLP) : P280 - Wear protective gloves, protective clothing, eye protection, face protection.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER or doctor/physician.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

Other hazards which do not result in classification : None.

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-butoxyethanol	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108- 36	5 – 15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Ethanolamine substance with a Community workplace exposure limit	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Chronic 3, H412
Fatty alcohol, C12-14, ethoxylated	CAS-No.: 68439-50-9	< 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
	CAS-No.: 141-43-5 EC-No.: 205-483-3 EC Index-No.: 603-030-00-8 REACH-no: 01-2119486455- 28	(5 ≤ C ≤ 100) STOT SE 3; H335

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general First-aid measures after inhalation First-aid measures after skin contact

- : In all cases of doubt, or when symptoms persist, seek medical attention.
- : Remove person to fresh air and keep comfortable for breathing. Take to hospital.
- Take off contaminated clothing. Rinse skin with water/shower. Transport to hospital immediately.

1/2/2023 (Revision date) BE - en 2/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after eye contact : First prolonged rinsing with water (contact lenses to be removerd if this is easily done), then

take to a doctor.

First-aid measures after ingestion : Rinse mouth out with water. Do NOT induce vomiting. Transport to hospital immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Unconsciousness. Dizziness. Headache. Nausea. Drowsiness.

Symptoms/effects after skin contact : Pungent. Severe burns. Pain. Redness. Symptoms/effects after eye contact : Pungent. Pain. Redness. Blurred vision.

Symptoms/effects after ingestion : Pungent. Breathing difficulties. Vomiting. Blisters. May cause burns or irritation of the linings

of the mouth, throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

None known.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : water spray. Powder. Foam. CO2.

5.2. Special hazards arising from the substance or mixture

Fire hazard : None.
Explosion hazard : None.
Hazardous decomposition products in case of fire : None.

5.3. Advice for firefighters

Precautionary measures fire : No special precautions required.

Firefighting instructions : No specific firefighting instructions required.

Other information : None.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not touch spilled material. Remove contaminated clothing and shoes. Do not breathe

vapour. Do not breathe fumes. Do not breathe spray.

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb the product onto porous material.

6.4. Reference to other sections

See Headings 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Handle carefully. Avoid spillage.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed and in well ventilated place. Keep out of frost.

Packaging materials : Suitable packing materials: Plastic.

1/2/2023 (Revision date) BE - en 3/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

7.3. Specific end use(s)

Cleaning product.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

The level of protection and types of measures depend on workplace conditions. Adequate ventilation must be provided so that exposure limits are not exceeded. For more information, see section 7.

Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing. Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Safety glasses. Face-shield

Skin protection

Skin and body protection:

Impermeable clothing

Hand protection:

Nitrile rubber gloves. Breakthrough time: > 480 Min, (EN 374). Layer thickness: 0,35 mm. Always wash hands after handling the product

Respiratory protection

Respiratory protection:

Ensure adequate air ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Universel mask (ABEK)

Environmental exposure controls

Environmental exposure controls:

Comply with relevant environmental regulations limiting discharges to air, water and soil. Protect the environment by applying proper control measures to prevent or reduce releases. For more information, see sections 6 and 13.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Odour
Odour threshold : Not applicable
Melting point : 0 °C

Melting point : 0 °C

Freezing point : Not available

Boiling point : 100 – 173 °C

Flammability : Not applicable

Explosive properties : Not applicable.

Oxidising properties : Not applicable.

Lower explosive limit (LEL) : 1.13 vol %

Upper explosive limit (UEL) : 10.6 vol %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Flash point : /.
Auto-ignition temperature : 230 °C
Decomposition temperature : /.

pH : 11.2 @ 20°C

pH solution : /.

Viscosity, kinematic : 1 mm²/s @ 20 °C Viscosity, dynamic 1 mPa·s @ 20 °C Solubility Soluble in water. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 2332 Pa @ 20 °C Vapour pressure at 50°C : Not available : 1.013 kg/l @ 20°C Density Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

Information with regard to physical hazard classes

Critical temperature : /.

Other safety characteristics

Relative evaporation rate (butylacetate=1) : 0.3 VOC content : 9.12%

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

Extremely high or low temperatures.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

10.5. Incompatible materials

Keep away from (strong) acids.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (No data available)
Acute toxicity (dermal) : Not classified (No data available)
Acute toxicity (inhalation) : Not classified (No data available)

Additional information : See Heading 3 (Information on ingredients).

Anilox Cleaner In Line	
ATE CLP (oral)	2000 mg/kg
ATE CLP (dermal)	2000 mg/kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-butoxyethanol (111-76-2)	
LD50 oral rat	1200 (≥ 300) mg/kg
LD50 dermal rabbit	1100 mg/kg
LC50 Inhalation - Rat	11 mg/l/4h
Ethanolamine	
LD50 oral rat	1089 mg/kg
LD50 dermal rabbit	2504 mg/kg
LC50 Inhalation - Rat	11 mg/l/4h
Fatty alcohol, C12-14, ethoxylated (68439-50-9	9)
LD50 oral rat	500 mg/kg
LD50 dermal rabbit	≥ 5000 nl/kg
LC50 Inhalation - Rat	≥ 50 mg/l/4h
Skin corrosion/irritation :	Causes skin irritation. pH: 11.2 @ 20°C
2-butoxyethanol (111-76-2)	
рН	I.
Serious eye damage/irritation :	Causes serious eye damage.
2-butoxyethanol (111-76-2)	pH: 11.2 @ 20°C
рН	<i> </i> /.
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
Ethanolamine	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Anilox Cleaner In Line	
Viscosity, kinematic	1 mm²/s @ 20 °C
2-butoxyethanol (111-76-2)	
Viscosity, kinematic	3.7 mm²/s @ 20°C.
Fatty alcohol, C12-14, ethoxylated (68439-50-9	9)
Viscosity, kinematic	72.917 mm²/s

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No data available.

1/2/2023 (Revision date) BE - en 6/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term

: Not classified

(acute)

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

2-butoxyethanol (111-76-2)	
LC50 - Fish [1]	1474 mg/l (Oncorhynchus mykiss, 96h)
EC50 - Crustacea [1]	1550 mg/l (Daphnia, 48h)
EC50 72h - Algae [1]	> 911 mg/l
NOEC chronic crustacea	> 100 mg/l (Daphnia, 72h)
NOEC chronic algae	> 280 mg/l (72h)
Ethanolamine	
LC50 - Fish [1]	349 mg/l (Cyprinus carpio, 4d)
EC50 - Crustacea [1]	65 mg/l (Daphnia)
EC50 72h - Algae [1]	2.1 – 2.8 mg/l
NOEC chronic fish	1.24 mg/l (Oryzias latipes, 41d)
NOEC chronic crustacea	0.85 mg/l (21d)
NOEC chronic algae	1 mg/l (72h)

12.2. Persistence and degradability

Anilox Cleaner In Line	
Persistence and degradability	This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
2-butoxyethanol (111-76-2)	
Persistence and degradability	Rapidly degradable
Ethanolamine	
Persistence and degradability	Rapidly degradable
Fatty alcohol, C12-14, ethoxylated (68439-50-9)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

Anilox Cleaner In Line	
Bioaccumulative potential	No supplementary information available.
Ethanolamine	
Partition coefficient n-octanol/water (Log Pow)	-2.3 – -1.31

12.4. Mobility in soil

Anilox Cleaner In Line	
Ecology - soil WGK 1.	
2-butoxyethanol (111-76-2)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	50 – 150

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Comply with local regulations for disposal.

Waste treatment methods : In case the undiluted product is discharged accidentally, neutralize to pH 7.

Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

SECTION 14: Transport information

In accordance with ADR

14.1. UN number or ID number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not regulated

14.4. Packing group

Packing group (ADR) : Not regulated

14.5. Environmental hazards

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

1/2/2023 (Revision date) BE - en 8/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content : 9.12 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1).

List of sensitizing substances (TRGS 907) : Contains sensitizing substances according TRGS 907.

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
2.2		
8.2		
9.1		
11		
16		

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.