

ZETHER Anilox Cleaner Washing Machine

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 12/4/2012 Revision date: 1/2/2023 Supersedes version of: 11/24/2022 Version: 1.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Anilox Cleaner Washing Machine UFI : 2PDG-V7XF-J30V-YA1C

Product code : 1124900

Type of product : Cleaning product Product group : Alkaline mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use

1.3. Details of the supplier of the safety data sheet

Kurt Zecher GmbH Görlitzer Str. 2

DE D-33098 Paderborn

Deutschland

T +49 (0) 52 51 / 17 46 - 0, F +49 (0) 52 51 / 17 46 - 20

contact@zecher.com, www.zecher.com

1.4. Emergency telephone number

Emergency number : Poison centre

Country/Area	Organisation/Company	Address	Emergency number	Comment
Germany	Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen Klinische Toxikologie, Universitätsmedizin der Johannes Gutenberg-Universität Mainz	Langenbeckstraße 1 Gebäude 601 55131 Mainz	+49 (0) 6131 19240	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290 Acute toxicity (oral), Category 4 H302 Skin corrosion/irritation, Category 1, Sub-Category 1A H314

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05 GHS07

Signal word (CLP) Danger

Contains Potassium hydroxide; 2-butoxyethanol; Tetrasodiumethylenediamine tetraacetate

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H290 - May be corrosive to metals.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P234 - Keep only in original container.

P264 - Wash hands thoroughly after handling.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents/container in accordance with local/regional/national/international

regulation.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 REACH-no: 01-2119487136- 33	5 – 15	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318
2-butoxyethanol	CAS-No.: 111-76-2 EC-No.: 203-905-0 EC Index-No.: 603-014-00-0 REACH-no: 01-2119475108-	5 – 15	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319
Tetrasodiumethylenediamine tetraacetate	CAS-No.: 64-02-8 EC-No.: 200-573-9 EC Index-No.: 607-428-00-2 REACH-no: 01-2119486762- 27	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 STOT RE 2, H373

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Potassium hydroxide	CAS-No.: 1310-58-3 EC-No.: 215-181-3 REACH-no: 01-2119487136- 33	$(0.5 \le C < 2)$ Eye Irrit. 2; H319 $(0.5 \le C < 2)$ Skin Irrit. 2; H315 $(2 \le C < 5)$ Skin Corr. 1B; H314 $(5 \le C \le 100)$ Skin Corr. 1A; H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Take to hospital.

1/2/2023 (Revision date) BE - en 2/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

First-aid measures after skin contact : Take off contaminated clothing. Rinse skin with water/shower. Transport to hospital

immediately.

First-aid measures after eye contact : Remove contact lenses, if present and easy to do. Continue rinsing. Rinse with plenty of

water. Get immediate medical advice and attention.

First-aid measures after ingestion : Rinse mouth out with water. Do NOT induce vomiting. Transport to hospital immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Unconsciousness. Dizziness. Headache. Nausea. Drowsiness.

Symptoms/effects after skin contact : Pungent. Severe burns. Redness. Pain. Symptoms/effects after eye contact : Pungent. Pain. Redness. Blurred vision.

Symptoms/effects after ingestion : Caustic, lack of breath, vomiting, blisters on lips and tongue, burning pain in mouth and

throat, gullet and stomach.

4.3. Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, powder, foam, CO2.

5.2. Special hazards arising from the substance or mixture

Fire hazard : None known. Explosion hazard : None known.

5.3. Advice for firefighters

Precautionary measures fire : No special precautions required.

Firefighting instructions : No specific firefighting instructions required. Protection during firefighting : No specific measures are necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not touch spilled material. Do not breathe vapour. Do not breathe spray. Remove

contaminated clothing and shoes.

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb the product onto porous material.

6.4. Reference to other sections

See Headings 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Handle carefully. Avoid spillage.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed and in well ventilated place. Keep out of frost.

Storage area : Keep container tightly closed and in well ventilated place. Keep out of frost.

1/2/2023 (Revision date) BE - en 3/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packaging materials : Suitable packing materials: Plastic. Packing material to avoid Metal.

7.3. Specific end use(s)

Cleaning product.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

The level of protection and types of measures depend on workplace conditions. Adequate ventilation must be provided so that exposure limits are not exceeded. For more information, see section 7.

Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses. Protective clothing.

Personal protective equipment symbol(s):







Eye and face protection

Eye protection:

Safety glasses. Face-shield

Skin protection

Skin and body protection:

Impermeable clothing

Hand protection:

Nitrile rubber gloves (EN374). Breakthrough time: > 480 Min. Layer thickness: 0,35 mm. Always wash hands after handling the product

Respiratory protection

Respiratory protection:

Ensure adequate air ventilation. In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Mask	ABEK		

Environmental exposure controls

Environmental exposure controls:

Comply with relevant environmental regulations limiting discharges to air, water and soil. Protect the environment by applying proper control measures to prevent or reduce releases. For more information, see sections 6 and 13.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.
Appearance : Clear.
Odour : Characteristic.
Odour threshold : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

: 0 °C Melting point Freezing point : Not available : 100 - 173 °C Boiling point Flammability : Not applicable. Explosive properties : Not applicable. Oxidising properties : Not applicable. Lower explosive limit (LEL) : 1.13 vol % Upper explosive limit (UEL) : 10.6 vol %

Flash point : /.
Auto-ignition temperature : /.

Decomposition temperature : No data available. pH : 14 @ 20 °C

pH solution : /.

Viscosity, kinematic : 1 mm²/s @ 20 °C : 1 mPa·s @ 20 °C Viscosity, dynamic Solubility : completely soluble. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : 2332 Pa @ 20 °C Vapour pressure at 50°C : Not available Density : 1.151 kg/l @ 20 °C Relative density : Not available Relative vapour density at 20°C : Not applicable. Relative gas density : Not applicable. Particle characteristics : Not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosion limits : 1.13 – 10.6

Other safety characteristics

Relative evaporation rate (butylacetate=1) : 0.3 VOC content : 10.36 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability

Extremely high or low temperatures.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

10.5. Incompatible materials

Keep away from (strong) acids.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

1/2/2023 (Revision date) BE - en 5/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the NENCTT Regulation (20) 1007/2000 amended	2) Negatation (20) 2020/07
Acute toxicity (dermal) : Acute toxicity (inhalation) :	Not classified Not classified
Anilox Cleaner Washing Machine	
ATE CLP (oral)	1667.819 mg/kg bodyweight
ATE CLP (dermal)	> 2000 mg/kg
Potassium hydroxide (1310-58-3)	
LD50 oral rat	356 mg/kg
LD50 dermal rabbit	≥ 5000 mg/kg
LC50 Inhalation - Rat	≥ 50 mg/l/4h
2-butoxyethanol (111-76-2)	
LD50 oral rat	1200 (≥ 300) mg/kg
LD50 dermal rabbit	1100 mg/kg
LC50 Inhalation - Rat	11 mg/l/4h
Tetrasodiumethylenediamine tetraacetate (64-	-02-8)
LD50 oral rat	1780 mg/kg
LD50 dermal rabbit	≥ 5000 mg/kg
LC50 Inhalation - Rat	10 mg/l/4h
Skin corrosion/irritation :	Causes severe skin burns. pH: 14 @ 20 °C
Potassium hydroxide (1310-58-3)	
рН	> 14 @ 20 °C.
2-butoxyethanol (111-76-2)	
рН	I.
Serious eye damage/irritation :	Assumed to cause serious eye damage pH: 14 @ 20 °C
Potassium hydroxide (1310-58-3)	
рН	> 14 @ 20 °C.
2-butoxyethanol (111-76-2)	
рН	1.
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Tetrasodiumethylenediamine tetraacetate (64-02-8)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
'	Not classified
Anilox Cleaner Washing Machine	
Viscosity, kinematic	1 mm²/s @ 20 °C
Potassium hydroxide (1310-58-3)	
Viscosity, kinematic	1 mm²/s @ 20 °C.
	

1/2/2023 (Revision date) BE - en 6/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-butoxyethanol (111-76-2)	
Viscosity, kinematic	3.7 mm²/s @ 20°C.

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : No data available. Hazardous to the aquatic environment, short—term : Not classified (acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

2-butoxyethanol (111-76-2)	
LC50 - Fish [1]	1474 mg/l (Oncorhynchus mykiss, 96h)
EC50 - Crustacea [1]	1550 mg/l (Daphnia, 48h)
EC50 72h - Algae [1]	> 911 mg/l
NOEC chronic crustacea	> 100 mg/l (Daphnia, 72h)
NOEC chronic algae	> 280 mg/l (72h)
Tetrasodiumethylenediamine tetraacetate (64-02-8)	
LC50 - Fish [1]	121 mg/l
EC50 - Crustacea [1]	625 mg/l (24h)
EC50 96h - Algae [1]	> 100 mg/l

12.2. Persistence and degradability

Anilox Cleaner Washing Machine		
Persistence and degradability	This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.	
Potassium hydroxide (1310-58-3)		
Persistence and degradability	Not rapidly degradable	
2-butoxyethanol (111-76-2)		
Persistence and degradability	Rapidly degradable	
Tetrasodiumethylenediamine tetraacetate (64-02-8)		
Persistence and degradability	Not rapidly degradable	

12.3. Bioaccumulative potential

Anilox Cleaner Washing Machine	
Bioaccumulative potential No data available.	
Potassium hydroxide (1310-58-3)	
Bioaccumulative potential No data available.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil

Anilox Cleaner Washing Machine	
Ecology - soil	WGK 3. Completely soluble in water.
Potassium hydroxide (1310-58-3)	
Ecology - soil	WGK 2. Completely soluble in water.
2-butoxyethanol (111-76-2)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	50 – 150

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Comply with local regulations for disposal.

Waste treatment methods : Do not discharge into drains.

Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

SECTION 14: Transport information

In accordance with ADR

14.1. UN number or ID number

UN-No. (ADR) : UN 1719

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Caustic alkali liquid, n.o.s.

Transport document description (ADR) : UN 1719 Caustic alkali liquid, n.o.s. (mixture with potassium hydroxide), 8, II, (E)

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



14.4. Packing group

Packing group (ADR) : II

14.5. Environmental hazards

Dangerous for the environment :

Other information : No supplementary information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Special transport precautions : Risk of burns, Do not allow to enter drains or water courses, Prevent flow to low areas

Overland transport

Hazard identification number (Kemler No.) : 80

Orange plates :

80 1719

Tunnel restriction code (ADR)

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content : 10.36 %

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) : Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No data available

1/2/2023 (Revision date) BE - en 9/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
8.2		
11		
16		

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.